

- SUB
DEF
CON
- (i) a support;
 - (ii) a barrier layer formed over the support; and
 - (iii) an information receiving layer which contains recorded information, said information receiving layer being formed over the barrier layer and

(b) a clear layer formed over the information receiving layer for receiving and holding a water-based colorant image, said clear layer being more hydrophilic than the image receiving structure.

15. (original) The receiver of claim 13 wherein the clear layer includes gelatin formulated with surfactants.

16. (original) The receiver of claim 13 wherein the clear layer includes material selected from the group consisting of polyvinylpyrrolidone (PVP), polyester ionomers, polyethylene oxide and copolymers of vinyl alcohol.

17. (original) The receiver of claim 14 wherein the clear layer includes gelatin formulated with surfactants.

18. (original) The receiver of claim 14 wherein the clear layer includes material selected from the group consisting of polyvinylpyrrolidone (PVP), polyester ionomers, polyethylene oxide and copolymers of vinyl alcohol.

19. (new) A receiver for receiving a water-based colorant image transferred by a stamp, comprising:

(a) an image receiving structure having:

- D2
- (i) a support; and
 - (ii) an information receiving layer which contains recorded information, said information receiving layer being formed over the support;

(iii) a protective transparent water resistant layer over the information receiving layer for preventing penetration of water-based colorants onto the information receiving layer; and

(b) a clear layer formed over the image receiving structure, the clear layer for receiving and for holding a water-based colorant image.

20. (new) The receiver of claim 19 further comprising a barrier layer between the support and the information receiving layer.

21. (new) The receiver of claim 19 wherein the clear layer includes gelatin formulated with surfactants.

22. (new) The receiver of claim 19 wherein the clear layer includes material selected from the group consisting of polyvinylpyrrolidone (PVP), polyester ionomers, polyethylene oxide and copolymers of vinyl alcohol.

23. (new) A receiver for receiving a water-based colorant image transferred by a stamp, comprising:

(a) an image receiving a structure having:

- (i) a support;
- (ii) an information receiving layer which contains recorded information, said information receiving layer being formed over the barrier layer;
- (iii) means over the information receiving layer for preventing penetration of water-based colorants onto the information receiving layer; and

(b) a clear layer formed over the image receiving structure, the clear layer for receiving and for holding a water-based colorant image.

24. (new) The receiver of claim 23 further comprising a barrier layer formed over the support.

25. (new) The receiver of claim 23 wherein the means over the information receiving layer comprises a transparent water-resistant material that prevents penetration of water-based colorants onto the information receiving layer.

26. (new) The receiver of claim 23 wherein the clear layer includes gelatin formulated with surfactants.

27. (new) The receiver of claim 23 wherein the clear layer includes material selected from the group consisting of polyvinylpyrrolidone (PVP), polyester ionomers, polyethylene oxide and copolymers of vinyl alcohol.

28. (new) A receiver for receiving a water-based colorant image transferred by a stamp, comprising:

DA
Cart
a first information receiving layer which contains recorded information, said information receiving layer being formed over the barrier layer;

a clear protective layer over the information receiving layer for preventing penetration of water-based colorants onto the information receiving layer; and

a second information receiving layer over the clear protective layer for receiving and for holding a water-based colorant image.

29. (new) The receiver of claim 28 wherein the clear protective layer is a transparent water-resistant material.

30. (new) The receiver of claim 28 further comprising a barrier layer and a support layer with the barrier layer between the support layer and the first information receiving layer.

31. (new) The receiver of claim 28 wherein the second information receiving layer includes gelatin formulated with surfactants.